

1480

**OPERABLE UNIT 3 ADDITIONAL WORK DISPUTE
RESOLUTION**

04-12-91

**DOE-1139-91
DOE-FSO/USEPA
4
LETTER**



Department of Energy

FMPC Site Office

P.O. Box 398705

Cincinnati, Ohio 45239-8705

(513) 738-6319

1480

APR 12 1991

DOE-1139-91

Mr. William E. Muno
Associate Division Director
Office of RCRA, Waste Management Division
U. S. Environmental Protection Agency
Region 5 - 5HR-12
230 South Dearborn Street
Chicago, IL 60604

Dear Mr. Muno:

OPERABLE UNIT 3 ADDITIONAL WORK DISPUTE RESOLUTION

Reference: Letter, DOE-1024-91, G. W. Westerbeck to W. E. Muno, "Operable Unit 3 - Additional Work in Uranium Production Operations Area (UPOA)," dated March 29, 1991


The referenced letter was transmitted by DOE to U. S. EPA elevating the dispute over the additional work in Operable Unit 3, to the Senior Executive Committee (SEC) level. A draft letter (enclosed) was also telefaxed to your office and to C. A. McCord on March 28, 1991, in an attempt to resolve the dispute.

The enclosed letter is again provided for your review and approval, to document the resolution of the dispute by the Dispute Resolution Committee (DRC) and allow the SEC to jointly concur on the resolution.

Please provide comment/concurrence on the enclosure as soon as possible. The SEC period ends on April 19, 1991.

If you have any questions, please contact me at FTS 774-6319.

Sincerely,


Gerald W. Westerbeck
Manager, Fernald Site Office

Enclosures: As stated

cc w/encl.:

R. P. Whitfield, EM-40, FORS
K. A. Hayes, EM-424, GTN
G. G. Ioannides, OEPA-Columbus
G. E. Mitchell, OEPA-Dayton
C. A. McCord, USEPA-V, 5HR-12
M. Butler, USEPA-V, 5CS-TUB-3
J. Benetti, USEPA-V, 5AR-26
E. Schuessler, PRC
R. L. Glenn, Parsons
W. H. Britton, WMCO
H. F. Daugherty, WMCO
S. W. Coyle, WMCO
J. D. Wood, ASI
AR Files

cc w/o encl.:

J. J. Fiore, EM-42, GTN
R. P. Berube, EH-20, FORS
J. La Grone, M-1, ORO
C. R. Holmes, USEPA-HQ
V. V. Adamkus, USEPA-V, 5A-14
W. E. Muno, USEPA-V, 5HR-13
D. A. Ullrich, USEPA-V, 5H-12

cc: ERA Project Files